

| | |
|------------|--|
| 1,50 + 2,5 | |
| 4 + 6 | |
| 25 + 10 | |
| 30 + 4 | |

| | |
|-----------|--|
| MICRO 145 | |
| MICRO 161 | |
| MICRO 216 | |
| MICRO 270 | |
| MICRO 340 | |

Selo John Crane T-21

| | |
|-------|--|
| 5/8 | |
| 3/4 | |
| 7/8 | |
| 1" | |
| 1.1/4 | |

IPACOM tipo 01

| | |
|------------|--|
| 1/2 T-01 | |
| 7/16 T-01 | |
| 5/8 - T-01 | |
| 3/4 T-01 | |
| 7/8 T-01 | |
| 1 T-01 | |
| 1.1/8 T-01 | |
| 1.1/4 T-01 | |
| 1,3/8 T-01 | |
| 1,1/2 T-01 | |
| 1,3/4 T-01 | |
| 1,5/8 T-01 | |
| 2 T-01 | |

VITON IPACOM

| | |
|-------------|--|
| 14 MM T-02 | |
| 5/8 | |
| 3/4 | |
| 7/8 | |
| 1 | |
| 1.1/8 | |
| 1.1/4 | |
| 1.3/8 | |
| 5/8 T-16 VT | |
| 3/4 T-16 VT | |

| CAPACITOR PERMANENTE | IMP. 400V CBB60 | SIBRATEC 440V CB | WEG 250 V | WEG 400 V |
|----------------------|-----------------|------------------|-----------|-----------|
| 2 | | | | |
| 3 | | | | |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 8 | | | | |
| 10 | | | | |
| 12 | | | | |
| 15 | | | | |
| 18 | | | | |
| 20 | | | | |
| 25 | | | | |
| 30 | | | | |
| 35 | | | | |
| 40 | | | | |
| 45 | | | | |
| 50 | | | | |
| 60 | | | | |
| 70 | | | | |
| 90 | | | | |
| 100 | | | | |

| | |
|---------------------------|--|
| SB-MGS 3/4 SILICIO (T-16) | |
|---------------------------|--|

Verniz Weg

| | |
|----------------|--|
| 1303 GL | |
| 1303 LT | |
| 1334 GL ESTUFA | |
| DILUENTE GL | |
| DILUENTE LT | |
| LACKPOXI LT | |
| LACKPOXI GL | |
| RESINA EPX | |

Ch. Part. Eletronica

| | |
|----------|--|
| V2 1/2cv | |
| V3 1 cv | |
| V4 2 cv | |
| V5 3 cv | |
| V 3,15 | |
| V 35,15 | |
| VR 2 | |
| VR 5 | |
| C 4 | |

| IPACOM | |
|-----------------------|--|
| 5/8 T-10 schn c/ sede | |
| 3/4 T-10 schn c/ sede | |
| 5/8 T-06 m curta | |
| 3/4 T-06 m curta | |
| 1" T-06 m curta | |
| 16mm T-11 b.submsa | |

| mm | selobras | Ipcom T2 |
|---------|----------|----------|
| 11 / 12 | | |
| 13 / 14 | | |
| 16 | | |
| 30 | | |

| mola curta - tsq - tsq | |
|-----------------------------|--|
| 5/8 | |
| 3/4 | |
| 1 | |
| TS-YiE 3/4 b.branco sd fina | |

| mola curta | DS-MG | IP T - 16 |
|--------------|-------|-----------|
| 1/2 | | |
| 5/8 | | |
| 3/4 | | |
| 1.1/4 t - 43 | | |

Tinta Weg

| | |
|-------|--|
| AZUL | |
| CINZA | |
| VERDE | |

Capa Capacitor

| | |
|---------|------|
| pequena | 5,60 |
| media | 8,10 |
| grande | 8,10 |

| ESPAGTE | preto 130° | branco 155° | marrom 180° | verde 155° |
|---------|------------|-------------|-------------|------------|
| 0,8 | | | | |
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |
| 10 | | | | |
| 12 | | | | |
| 14 | | | | |
| 16 | | | | |
| 18 | | | | |
| 20 | | | | |
| 25 | | | | |

Soldas

| | |
|------------------|--|
| carretel 0,5 kg | |
| Pasta solda | |
| amarela kg | |
| foscope vareta | |
| fluxo al / cobre | |

Caixa de ligação

| | |
|--------------|--|
| 63 / 71 / 80 | |
| 90 / 100 | |
| 112 / 132 | |
| 160 / 180 | |
| 200 | |
| 225 / 250 | |

ISOLANTES

| | |
|----------------|--|
| POLTER 0,07 25 | |
| POLTER 0,30 35 | |
| DMD / THERMDS | |
| TIMBO | |
| ISOLEX | |
| KRAFT | |
| TERCOT K+P | |

| | |
|----------------|--|
| 63 / 100 MONOF | |
| 112/132 MONOF | |

Fita Linear

| | |
|----|--|
| 6 | |
| 12 | |

BARBANTES

| | |
|----------------|--|
| B. NYLON N.5 | |
| BARB. N.6 KG | |
| N. ALUM grossa | |

Pé Base motor

| | |
|--------------|--|
| 42 / 48 / 56 | |
|--------------|--|

| Cadarço | laranja | F. vidro | poliester | branco |
|---------|---------|----------|-----------|--------|
| 1/2 | | | | |
| 3/4 | | | | |
| 1 | | | | |

FIO ESMALTADO

| | |
|----------|--|
| 04 AO 20 | |
| 21 | |
| 22 | |
| 23 | |
| 24 | |
| 25 | |
| 26 | |
| 27 | |
| 28 | |
| 29 | |
| 30 | |

NF INTEGRAL + 1,20

Arruela encosto rol.

| | |
|------------|--|
| 6201 27X31 | |
| 6202 27x33 | |
| 6203 32x39 | |
| 6204 38x45 | |
| 6205 41x50 | |
| 6206 50x60 | |
| 6207 57X70 | |
| 6208 | |
| 6209 | |
| 6210 | |
| 6211 | |
| 6212 | |

Cabo lids

| | Stireflex 130 gr | tramar 200 gr | tramar 130 gr |
|---------|---------------------|------------------|------------------|
| 22 awg | | | |
| 20 awg | | | |
| 18 awg | | | |
| 16 awg | | | |
| 14 awg | | | |
| 12 awg | | | |
| 10 awg | | | |
| 08 awg | | | |
| 06 awg | | | |
| 04 awg | | | |
| 02 awg | | (34 MM) | |
| 01 awg | | (42 MM) | |
| 1/0 awg | | (54 MM) | |
| 2/0 awg | | (67 MM) | |

Defletora Weg orig D' weg Eberle

| | | | |
|-----|--|--|--|
| 63 | | | |
| 71 | | | |
| 80 | | | |
| 90 | | | |
| 100 | | | |
| 112 | | | |
| 132 | | | |
| 160 | | | |
| 180 | | | |
| 200 | | | |

TAMPAS DIANTEIRA E TRASEIRA WEG

| | |
|---|--|
| TP DIANT 56 H ROL 6204 10017009 | |
| TP DIANT FC-149 R.6204 F56H 10016970 | |
| TP DIANT FC-165 R.6203 E56 BC92 10017205 | |
| TP DIANT FC-149 R.6203 B-C/48 C/56 10016969 | |
| TP DIANT FC-165 R.6203 DANCOR 1015 6667 | |

| | |
|---|--|
| TP TRAS 48 / 56 AB R. 6202 10017011 | |
| TP TRAS 48 B56 R. 6202 10017013 | |
| TP TRAS 48 WJET PUMP 6202 1107 6530 | |
| TP TRAS 48 WJET PUMP 6201 10890289 | |
| TP TRAS 48 MCEIFADOR 6201 10156598 | |
| TP TRAS 56 AB H R. 6203 10017016 | |
| TP TRAS 56 JETPUMP FCHDA 6202 10017204 | |
| TP TRAS 56 6203 furada 10156673 / 67648927z | |
| TP TRAS B56 6202 (48) LRG PEQ 1015 6840 | |
| TP TRAS E56J 6202 (48) FINA MB 1008 3490 | |

| | |
|---|--|
| TP TRAS 132 MONOFASICA weg 7189 | |
| TP TRAS 112 MONOFASICA weg w21 3718 | |
| TP TRAS 112 MONOFASICA weg w22 9639 | |
| TP DIANT W112 MONOF 10579639 / 02089101 | |

| | |
|---|--|
| TP WEG DIANT 63 | |
| TP WEG DIANT 71 R 6203 W 21 1001 6780 | |
| TP WEG DIANT 71 R 6202 W 22 1133 4106 | |
| TP WEG DIANT 80 1133 4136 | |
| TP WEG DIANT 90 | |
| TP WEG DIANT 100 | |
| TP WEG DIANT 112 W 21 6307 1001 6840 | |
| TP WEG DIANT 112 W 22 6207 1133 4281 | |
| TP WEG DIANT 132 1133 4669 | |
| TP WEG DIANT 160 W 21 6309 1001 6842 | |
| TP WEG DIANT 160 - W 22 6209 1133 4724 | |
| TP WEG DIANT 200 | |
| TP WEG DIANT 71 FLNGE FC 95 6203 10016805 | |
| TP WEG DIANT 80 FLANGE FC 95 6204 | |

Stireflex

130 gr

tramar

200 gr

tramar

130 gr

Stireflex

tramar 200°

| | | | |
|-------------|--|--|--|
| 1,0 mm | | | |
| 1,5 mm | | | |
| 2,5 mm | | | |
| 4,0 mm | | | |
| 6 mm | | | |
| 10 mm | | | |
| 16 mm | | | |
| 25 mm | | | |
| 35 mm | | | |
| 50 mm | | | |
| 70 mm | | | |
| 95 mm | | | |
| 120 mm | | | |

CABO FLEXIVEL 750V

| | |
|-----------------|------|
| 0,75 MM | |
| 1 MM | |
| 1,5 MM BC PT VD | 0,68 |
| 2,5 MM AZ PT | 1,09 |
| 4,0 MM AZ PT | 1,86 |
| 6,0 MM AZ PT | 2,75 |
| 10 MM | |

CABO PP

| | 2 X | 3 X | 4 X |
|------|-----|-------------|------|
| 1,69 | | | |
| 2,28 | | 3,11 | 4,17 |
| 2,80 | | 4,68 | |
| | | 7,48 | |

ANEL V´RING

| | | |
|------------------------|---------------|-----|
| ANEL V´RING 6201 | 10,5X16,5X5,5 | |
| ANEL V´RING 6202 | 12,5X18,5X5,5 | |
| ANEL V´RING 6203 | 14X20X5,5 | |
| ANEL V´RING 6204 | 18X26X7,5 | |
| ANEL V´RING 6205 | 22X30X7,5 | |
| ANEL V´RING 6206 / 306 | 27X35X7,5 | |
| ANEL V´RING 6207 / 307 | 31X39X7,5 | |
| ANEL V´RING 6208 / 308 | 36X46X9,0 | 132 |
| ANEL V´RING 6209 / 309 | 40X50X9,0 | 160 |
| ANEL V´RING 6314 | 63X75X11 | |
| ANEL V´RING 6316 | 72X84XX11 | |
| ANEL V´RING 6319 | 85X97X11 | |

camiseta algodao

| | |
|------|--|
| 4 mm | |
| 5 mm | |
| 6 mm | |

Anel Fixação Rol. Diant. 5 mm

| | | |
|------|--|--|
| 6314 | | |
| 6316 | | |
| 6319 | | |

| | |
|--|--|
| TP WEG DIANT 80 FLANGE FF 165 | |
| TP WEG DIANT 90 FLANGE FF 165 | |
| TP WEG DIANT 112 FLANGE FC 149 W21 6307 | |
| TP WEG DIANT 112 FLANGE FF 215 W21 6307 | |
| TP WEG DIANT 132 FLANGE FC 184 JM/JP | |
| TP WEG DIANT 132 FLANGE FF 265 | |
| TP WEG DIANT 180 FLANGE FF 300 R 6311 | |
| TP WEG DIANT 200 FLANGE FF 350 | |
| TP WEG DIANT 180 FLANGE FC228 6311 | |

| | | |
|--------------------------------------|-----------|--|
| TP WEG TRAS 63 | 11335742 | |
| TP WEG TRAS 71 W21 / W22 | 1133 5776 | |
| TP WEG TRAS 80 | 1133 5835 | |
| TP WEG TRAS 90 | 11336187 | |
| TP WEG TRAS 100 | 1133 6465 | |
| TP WEG TRAS 112 W 21 6206 | 1001 6857 | |
| TP WEG TRAS 112 W 22 6206 | 1133 6601 | |
| TP WEG TRAS 132 | | |
| TP WEG TRAS 160 W21 6209 | 1001 6859 | |
| TP WEG TRAS 160 W22 | 1172 4448 | |
| TP WEG TRAS 180 W21 1001 6860 | R 6211 | |
| TP WEG TRAS 200 S/GRAXEIRA C/ V'RING | | |
| TP WEG TRAS 200 C/GRAXEIRA V'RING | | |

Tampas Kolhback

| | | |
|---|---------------|--|
| tp diant k 56 r.6204 | 812 | |
| tp tras k 56 r.6203 p. central quadrado | 2954 | |
| tp tras k 56 r.6202 p.central | 2236 188 795 | |
| tp tras k 56 r.6203 p. lateral garfo | 824 D 161 | |
| tp tras k 48 r.6202 p.central | 2234 1096 796 | |

Tampas Eberle

| | | |
|--------------------------------|--------|--|
| tp dianteira Eb 71 LA rol 6203 | 3d6403 | |
| tp traseira Eb 71 LOA rol 6203 | 3d6404 | |

| | | |
|-----------------------------------|--------|--|
| tp dianteira Eb 56 rol 6204 larga | 3e3746 | |
| tp dianteira Eb 56 rol 6204 baixa | 3e1303 | |
| tp dianteira Eb 100 rol 6206 | | |

| | | |
|---|-----------------|--|
| tp traseira Eb 56 rol 6203 baixa | 3d11829 | |
| tp traseira Eb 56 rol 6203 larga | 3d 69 19 | |
| tp traseira Eb 56 rol 6202 larga | 3d 61 17 | |
| tp traseira Eb 56 rol 6202 estreita | 3d 17 09 | |
| tp traseira Eb 112 alta rol 6204 mono | 3d6579 | |
| tp traseira Eb 100 rol 6206 | | |
| tp traseira Eb 90 rol 6205 ou 6202 | | |

Velumoides MT OF pedaço cm

| | | |
|---------|--|--|
| 0,40 mm | | |
| 0,80 mm | | |

Seletor voltagem trapp

| | |
|------------------------------|--|
| DIAFRAGMA JET MASTER SIMILAR | |
|------------------------------|--|

Gaxeta Ensebada branca metro

| | OF | CX C/ 5 KG | CS |
|------|-------|------------|-------|
| 3/16 | 7,50 | 196,00 | 9,50 |
| 1/4 | 7,50 | 178,00 | 9,50 |
| 5/16 | 9,00 | 178,00 | 12,00 |
| 3/8 | 11,00 | 169,00 | 15,00 |
| 1/2 | | | |

Pino Elastico

| | WEG | | |
|-----------|--------|--|--------|
| 63 | 3 x 20 | | 3 x 20 |
| 71/80/90 | 4 x 28 | | 4 x 20 |
| 100 | 4 x 40 | | 4 x 30 |
| | 6 x 40 | | 6 x 40 |
| 112 / 132 | 6 x 50 | | 6 x 50 |

CH FERRAMENTA ELETRICA

| | |
|---------------------------------------|--|
| GATILHO SERRA MARMORE BOSCH 1551 | |
| GATILHO S MARMORE MAKITA 4100 - 1900B | |
| COROA E PINHAO MAKITA 4100 NH | |
| COROA E PINHAO MAKITA 4100 H | |

ESCOVA

| | | unit | unit |
|---|--|--------|--------|
| | | pacote | avulso |
| ESCOVA CARVAO 022-B S. HOBBY BOSCH | | | |
| ESCOVA CARVAO 050 LIX. ESM. BOSCH | | | |
| ESCOVA CARVAO 080 S. MAR. B. 1551 | | | |
| ESCOVA CARVAO 064 ESM. 1338 ESP. BOSCH | | | |
| ESCOVA CARVAO 066-B LIX. CB 202/204 MAKITAO | | | |
| ESCOVA CARVAO 050-B LIX MOD 1351 BOSCH | | | |
| ESCOVA CARVAO 037 | | | |
| ESCOVA CARVAO 0151 S 1551 MODN BOSCH | | | |
| ESCOVA CARVAO 0156 SERRA NHK 4100 NV | | | |

GERADORES ESCOVA

| | | |
|-------------------------------|--------------|--|
| GERADOR BAMBOZZI 0100 | 35 X 17 X 13 | |
| GERADOR KOLHBACH 0105 | 30 X 12 X 10 | |
| GERADOR KOLHBACH 0106 | 30 X 10 X 10 | |
| EXITATRIZ BAMBOZZI 0103 | 30 X 20 X 10 | |
| EXITATRIZ BAMBOZZI 0101 | 30 X 19 X 07 | |
| PORTA ESCOVA GER. KOLH 2 GUIA | 0680 | |

CHAVETAS

| | | |
|-------------------|------------------|--|
| CHAVETA 56 | 3/16 X 3/16 X 40 | |
| CHAVETA 63 | 4 X 4 X 8 | |
| CHAVETA 71 | 5 X 5 X 12 | |
| CHAVETA 80 | 6 X 6 X 20 | |
| CHAVETA 90 | 7 X 8 X 28 | |
| CHAVETA 100 / 112 | 7 X 8 X 36 | |
| CHAVETA 132 | 8 x 10 x 63 | |

FILTRO AGUA FORTLEV

| | |
|-----------------|--|
| FILTRO FORTLEV | |
| ELEMENTO FILTRO | |

Termistor

| | |
|-----------|--|
| 140 graus | |
| PT 100 | |

KG / MT

| | |
|---------|--------|
| 0,04 KG | 23 MT |
| 0,06 KG | 15 MT |
| 0,08 KG | 10 MT |
| 0,12 KG | 7,5 MT |

MT / KG

Ch Margirius

| | |
|-----------------------|-------|
| CS 301 A S/SS BIP 20A | 57,10 |
| CS 301 B S/SS BIP 15A | 36,60 |
| CS 301 TS/SS TRIP 20A | 59,8 |
| CS 301 TP/SS TRIP 30A | 129 |

PRDODUTOS VONDER

SILICONE E GRAFITE

| | |
|---|-------|
| GRAFITE SPRAY M500 200 ML | 7,30 |
| SILICONE SPRAY AUTOMO MPRIME 300ML | 10,00 |
| COLA SILICONE 270 GR TRANSP TEK BOND | 11,50 |
| COLA SILICONE 280 GR TRANSP POLISTIC | 16,00 |
| COLA SILICONE 50 GR TRANSP. POLISTIC | 5,00 |
| COLA SILICONE 50 GR ALTA TEMP TEK BOM | 7,00 |
| ANTI CORROSIVO 300 ML M1 STARRET | 10,00 |
| DESENGRIMPANTE WD - 40 300 ML | 22,50 |

FITAS ISOLANTES

| | |
|---------------------------------|-------|
| Isolante thompson 10mt | 2,70 |
| Isolante thompson 20 mt | 4,80 |
| Isolante 3M imperial 18 x 20 mt | 5,40 |
| Isolante 3M imperial 18 x 10 mt | 3,10 |
| Fita veda rosca 18 x 25 mt | 3,50 |
| Auto fusao foxlux 10mt x 19 mm | 23,10 |
| Auto fusao prsmian 10mt ELETROM | 31,00 |
| Auto fusao 3M 19mm x 10 mt | 27,00 |
| Auto fusao FOXLUX 5 MT | 15,70 |
| Fita empacotadora 3 m | 4,50 |
| crepe 19 x 50 mt 3M ADELBRAS | 3,80 |

PRODUTOS PISCINA

| | |
|--------------------------------------|-------|
| ALGICIDA MANUTENÇÃO HCL PROPOOL 1 LT | 15,50 |
| FLOCULANTE PROPOOL 1 LT | 15,00 |
| LIMPA BORDA PISCINA PROPOOL 1LT | 16,00 |

| | |
|--|-------|
| CLORO PISCINA GRANULADO 1 KG | |
| CLORO PISCINA TABLET 200 GR PENTA C/7 | 53,60 |
| CLORO PISCINA TABLETE 200 GR GENCO HCL | 7,50 |
| FLUTUADOR CLORADOR | 20,00 |
| ESCOVA CURVA | 31,00 |
| CARRINHO ASPIRADOR 8 RODAS | 49,00 |

| | |
|------------------------------------|-------|
| APARELHO FITA EMPACOTADORA C/PUNHO | 24,00 |
| FITA EMPACOTADORA | 4,30 |

| | |
|--|------|
| ESTOPA CONVENCIONAL 500 GR LIMPI BRILHA | 7,50 |
|--|------|

| | |
|---------------------------|------|
| CANETA BIC CRISTAL | 1,10 |
|---------------------------|------|

| | |
|--------------------------------|-------|
| PAPEL CHAMEX PCT 500 FL | 24,00 |
|--------------------------------|-------|

| | |
|---|-------|
| ALICATE ELETRICISTA 8 PRNSA DESENCAP | 27,60 |
|---|-------|

| | |
|--------------------------|------|
| Pino adapt 2P + t | 6,30 |
|--------------------------|------|

| | |
|--------------------------------|-------|
| BOBINA PIC. F. RETO 1 KG 20X30 | 17,50 |
| BOBINA PIC. F. RETO 2 KG 25X35 | 26,00 |
| BOBINA PIC. F. RETO 3 KG 30X40 | 35,00 |

Tecryl - D3

| | |
|--------------|--------|
| balde 18 kg | 317,00 |
| galao 3,6 kg | 80,00 |

| | |
|--|--------|
| ADESIVO TRAVA ROSCA , T.ALTO , ATAV 771 10 GR | 7,60 |
| ALICATE DESENCAPADOR DE FIOS AUTOMATICO AD 125 | 90,00 |
| BICO TORNEIRA ALUMINIO 3/4 X 1/2 AJAX ENGATE RAPIDO | 8,50 |
| BOMBA MANUAL P/ GRAXA 500 GR | 53,21 |
| CH COMBINADA JG 6 A 22 MM | 60,17 |
| CHAVE FENDA (B) 1/8 X 5 | 2,50 |
| CHAVE FENDA (L) 1/4 X 6 | 5,50 |
| CHAVE FENDA (O) 5/16 X 5 | 7,00 |
| CHAVE FENDA (V) 3/8 X 10 | 11,50 |
| CHAVE PHILIPS (B) 1/8 X 5 | 2,50 |
| CHAVE PHILIPS (D) 3/16 X 5 | 7,50 |
| CHAVE PHILIPS (I) 5/16 X 8 | 8,50 |
| ENGATE RAPIDO MANGUEIRA 1/2" C/ BLOQUEADOR | 7,20 |
| ENGATE RAPIDO MANGUEIRA 1/2" PASSAGEM LIVRE | 5,70 |
| ESCOVA CIRC (D) 6 X 1/2 X 5/8 AÇO | 22,80 |
| ESCOVA MANUAL JG C/ 3 PÇ | 7,80 |
| | |
| FELTRO AUTO ADESIVO PRETO QUADRADO 22 MM C/20 | 5,20 |
| FELTRO AUTO ADESIVO PRETO QUADRADO 30 MM C/12 | 5,20 |
| FITA ANTI DERRAPANTE 50MM X 15MT TRANSPARENTE | 90,00 |
| FIXADOR PORTA FP500 AL (BATENTE PORTA C/MOLA) | 26,00 |
| GANCHO PLASTICO ADESIVO C/3 UNID | 15,90 |
| LUBRIFICANTE SPRAY 300 ML / 200 GR | 8,20 |
| LUPA 65 MM | 18,80 |
| MANGUEIRA JARDIM SUPER FLEXIVEL 1/2" MT | 2,90 |
| PARAFUSO SEXTAVADO ZINCADO 6 MM X 25 MM | 0,20 |
| PARAFUSO SEXTAVADO ZINCADO 8 MM X 30 MM | 0,40 |
| PINADOR PNEUMATICO PPV 500 | 269,00 |
| PULVERIZADOR ADAPTAVEL GARRAFA PET PA 215 | 43,00 |
| REBITADOR MANUAL | 23,50 |
| REBITE ALUMINIO 4 X 12 UNIDADE 0,10 | 44,00 |
| REBITE ALUMINIO 3,2 X 12 UNIDADE 0,10 | 34,00 |
| REBITE ALUMINIO 3,2 X 16 UNIDADE 0,10 | 40,00 |
| REBITE ALUMINIO 4,8 X 16 UNIDADE 0,15 | 69,00 |
| RODO (MINI) 160 MM P/ LIMPEZA | 9,00 |
| SERROTE DE PODA CURVO 12" | 28,00 |
| TESOURA USO GERAL 25 CM | 19,00 |
| TESOURA TRAMONTINA PODA PROFISSIONAL SM | 35,00 |

| | |
|-------------------------------|--------|
| SACA POLIA 3G 200MM JM | 180,00 |
|-------------------------------|--------|

